UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,981	05/02/2006	G. Clarke Oberheide	19339-104934	7541
²⁸⁸⁸⁶ CLARK HILL,	7590 11/18/200 P.C.	EXAMINER		
500 WOODWA	ARD AVENUE, SUITE	PAPE, JOSEPH		
DETROIT, MI 48226			ART UNIT	PAPER NUMBER
			3612	
			MAIL DATE	DELIVERY MODE
			11/18/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/577,981	OBERHEIDE, G. CLARKE			
Office Action Summary	Examiner	Art Unit			
	Joseph D. Pape	3612			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on					
	-· action is non-final.				
<i>i</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
	ripanto dalayio, 1000 0.21 11, 10	0 0.0. 2.0.			
Disposition of Claims					
 4) ☐ Claim(s) 1-15 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) 1-15 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) ☐ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 02 May 2006 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) Notice of References Cited (PTO-892)					



Application No.

Application/Control Number: 10/577,981 Page 2

Art Unit: 3612

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-15 are allowed.

2. The following is an examiner's statement of reasons for allowance:

The recitation of a single actuator to both power close a closure and to drive a rotary power cable as set forth in claims 1-15 is not shown or fairly suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. This application is in condition for allowance except for the following formal matters:

The drawings and the specification are objected to for the following reasons:

On page 5, line 2, it is thought that "full" should be changed to -fully--.

Reference numeral 35 is used in the specification for the bidirectional motion of the rotary cable and a transmission coupling. See page 4 and Figures 2 and 5.

Application/Control Number: 10/577,981 Page 3

Art Unit: 3612

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph D. Pape whose telephone number is (571)272-6664. The examiner can normally be reached on Tuesday-Friday 6:30 AM-3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on (571)-272-6659. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Joseph D. Pape/ Primary Examiner, Art Unit 3612 Application/Control Number: 10/577,981 Page 4

Art Unit: 3612

Jdp

11/17/08